

VIEWSONIC

Bizgram Asia Pte Ltd

Retail Wholesale Factory Outlet Address : #05-50 Sim Lim Square 1 Rochor Canal Road Singapore 188504

Operating Hours : Mon to Sun – 10am to 7.30pm Public Holidays – OPEN

Tel : +65-63346455 / 63341373

Fax : NO MORE FAX SMS / **Whatsapp :** +65 – 8777 6955

UPC code	Brief Specs
766907019988	DLP, 3D-Ready (for PC & BluRay), 4800 ANSI Lumens, SVGA (800x600), up to 15,000 lamp hours, 1.1x zoom, 22000:1,TR 1.96-2.15, 2w speaker, DPMS, HDMI 1.4 X 1, VGA x1, composite, audio in, Monitor out, audio out, mini USB, RS232, 2.2kg
766907020007	DLP, 3D-Ready (for PC & BluRay), 4500 ANSI Lumens, XGA (1024x768), up to 12,000 lamp hours, 1.1x zoom, 12500:1,TR 1.94-2.16, close caption, 3w speaker, DPMS, HDMI 1.4a X 2, VGA x1, composite, audio in, Monitor out, audio out, RS232, 2.7kg
766907004328	DLP, 3D-Ready (for PC & BluRay), 4800 ANSI Lumens, XGA (1024x768), up to 15,000 lamp hours, 1.1x zoom, 22,000:1 (DCR), Throw ratio 1.96~2.15:1, 2w speaker, HDMI 1.4 X1, VGA x 1, composite, audio in, VGA out, audio out, mini USB, RS232, 2.2kg.
766907020021	DLP, 3D-Ready (for PC & BluRay), 4000 ANSI Lumens, XGA (1024x768), up to 12,000 lamp hours, 15000:1, 0.52:1 short-throw ratio , 16w speaker, HDMI 1.4 X 2 , composite, audio in, Monitor out, audio out, RS232, 2.87kg. White color .
766907019995	DLP, 3D-Ready (for PC & BluRay), 4500 ANSI Lumens, WXGA (1280x800), up to 12,000 lamp hours, 1.1x zoom, 12500:1,TR 1.544-1.72, close caption, 3w speaker, DPMS, HDMI 1.4a X 2, VGA x1, composite, audio in, Monitor out, audio out, RS232, 2.7kg
766907019995	DLP, 3D-Ready (for PC & BluRay), 4800 ANSI Lumens, WXGA (1280x800), up to 15,000 lamp hours, 1.1x zoom, 22000:1,TR 1.55-1.7, 2w speaker, HDMI X 1, VGA x1, composite, audio in, Monitor out, audio out, mini USB, RS232, 2.2kg
766907006186	DLP, 3D-Ready (for PC & BluRay), 4000 ANSI Lumens, up to 20,000 lamp hours , WXGA (1280x800), 22,000:1 (DCR), 1.3x Zoom, 10W speaker, Keystone: +/-40' (H/V), VGA, s-video/composite X 1, HDMI*2 (MHL X1), RS232 & RJ45, 2.4kg

766907020038	DLP, 3D-Ready (for PC & BluRay), 4000 ANSI Lumens, WXGA (1280x800), up to 12,000 lamp hours, 15000:1, 0.616:1 short-throw ratio , 16w speaker, HDMI 1.4 X 2 , composite, audio in, Monitor out, audio out, RS232, 2.87kg. White color .
766907024463	DLP, 3D-Direct, White color, 4000lm , up to 15,000 lamp hours, Full HD (1920x1080) , 22,000:1, 1.1x Zoom, 16:9, Keystone: +/-40' (Vertical) , 3W speaker, HDMI X 2, audio in/out, USB A power, RS232, net 2.7kg
766907007893	DLP, HDR, 3200 ANSI Lumens, 0.47" 4K UHD (3840x2160) , up to 15,000 lamp hours, 12,000:1, Throw Ratio 1.5-1.65:1, 1.1x Zoom, Keystone: +/-40' (Vertical), 10W speaker X 2, VGA X1 (share with Component), HDMI*2 (2.0 X1, 1.4 x1), USB type A X 1, USB type B mini X 1, RS232, 2.8kg
766907020076	[Designed for Xbox] DLP, HDR, 4000 ANSI Lumens, 4.2ms Ultra-Fast Input & 240Hz high refresh rate , 0.47" 4K UHD (3840x2160) , up to 20,000 lamp hours, 12,000:1, Throw Ratio 1.13-1.47:1, 1.3x Zoom, Keystone: +/-40' (H/V), 10W speaker, HDMI*2 (2.0 X1, HDCP 1.4/2.2 x1), type-c port X 1 , USB type A X 1, USB type B mini X 1, RS232/RJ45, 3kg
766907016734	3000 lumens 3rd Gen LED light source, 30,000 hours (normal), WXGA (1280x800), TR 1.55~1.70, 1.1X zoom, V keystore, HDMI X 1, RS232, 2W SPK, audio in & out, USB type-A, 360 degree installation. net weight 2.45kg
766907022780	Laser DLP, 4200 ANSI Lumens, short throw , FHD, 3,000,000:1, up to 30,000 Laser hours, 0.49:1, fix zoom, Keystone: +/-15' (Vertical and Horizontal), 4 corner adjustment, 360° projection and portrait mode, 15w speaker, HDMI X2, RS232, net weight 3.15kg
766907022599	Laser DLP, 5000 ANSI Lumens, WXGA (1280x800), 3,000,000:1, up to 30,000 Laser hours, 1.18-1.54:1, 1.3X optical zoom, Keystone: +/-30' (Vertical and Horizontal), 4 corner adjustment, 360° projection and portrait mode, 15w speaker, HDMI X2, RS232, net 3kg
766907022605	Laser DLP, 5000 ANSI Lumens, FHD, 3,000,000:1, up to 30,000 Laser hours, 1.13-1.47:1, 1.3X optical zoom, Keystone: +/-30' (Vertical and Horizontal), 4 corner adjustment, 360° projection and portrait mode, 15w speaker, HDMI X2, RS232, net 3kg
766907023961	[Designed for Xbox] 3rd Gen Laser DLP, 3500 ANSI Lumens, 4K UHD, 4.2ms Ultra-Fast Input & 240Hz high refresh rate , 3,000,000:1, up to 30,000 Laser hours, 1.06-1.45:1, 1.36X optical zoom, Keystone: +/-30' (Vertical and Horizontal), 4 corner adjustment, 15w speaker, HDMI X2, RS232, net 3.3kg
766907021912	2nd Gen laser DLP, 5000 ANSI Lumens, WUXGA (1920X1200), 0.253:1 ultra short throw, 3,000,000:1, up to 20,000 Laser hours, speaker 10W cube X 1, VGA, Component/s-video/composite X 1, HDMI 2.0 X 2, RS232, RJ45, HDBaseT build in, net 8.1kg (optional ambient light screen (BCP100/120) for vibrant daytime viewing)
766907008715	2nd Gen Laser DLP, 6000 ANSI Lumens, WUXGA, 3,000,000:1, up to 30,000 Laser hours, 1.36-2.18:1, 1.6X optical zoom, Keystone: +/-40' (Vertical and Horizontal), H/V lens shift, 10w X 2 speaker, VGA, composite X 1, HDMI 2.0b X2, RS232, RJ45, HDBaseT, 360° projection, and portrait mode , net 6.5kg

766907008739	2nd Gen Laser DLP, short throw, 6000 ANSI Lumens, WUXGA, 3,000,000:1, up to 30,000 Laser hours, 0.81-0.89:1, 1.1X optical zoom, Keystone: +/-40' (Vertical and Horizontal), H/V lens shift, 10w X 2 speaker, VGA, composite X 1, HDMI 2.0b X2, RS232, RJ45, HDBaseT, 360° projection, and portrait mode , net 6.5kg
766907027600	2nd Gen Laser DLP, 6000 ANSI Lumens, FHD, 3,000,000:1, up to 30,000 Laser hours, 1.2-2.04:1, 1.7X optical zoom, Keystone: +/-30' (Vertical and Horizontal), V lens shift, 15w X 2 speaker, VGA, HDMI 2.0 X2, RS232, RJ45, 360° projection, and portrait mode , net 4.77kg
766907027624	2nd Gen Laser DLP, 5500 ANSI Lumens, 4K, 3,000,000:1, up to 30,000 Laser hours, 1.2-2.04:1, 1.7X optical zoom, Keystone: +/-30' (Vertical and Horizontal), V lens shift, 15w X 2 speaker, VGA, HDMI 2.0 X2, RS232, RJ45, net 4.85kg
766907027327	2nd Gen Laser DLP, 8500 ANSI Lumens, WUXGA, 3,000,000:1, up to 30,000 Laser hours, 1.25-2.00:1, 1.6X optical zoom, H/V Keystone, H/V lens shift, 10w X 2 speaker, VGA, HDMI 2.0 X2, RS232, RJ45, HDBaseT, HDMI out X1, net 13.7kg
766907027297	2nd Gen Laser DLP, 7100 ANSI Lumens, 4K, 3,000,000:1, up to 30,000 Laser hours, 1.25-2.00:1, 1.6X optical zoom, H/V Keystone, H/V lens shift, 10w X 2 speaker, VGA, HDMI 2.0 X2, RS232, RJ45, HDBaseT, HDMI out X1, net 14kg
766907027280	2nd Gen Laser DLP, 7100 ANSI Lumens, WUXGA, 3,000,000:1, up to 30,000 Laser hours, 1.25-2.00:1, 1.6X optical zoom, H/V Keystone, H/V lens shift, 10w X 2 speaker, VGA, HDMI 2.0 X2, RS232, RJ45, HDBaseT, HDMI out X1, net 12.8kg
766907027303	2nd Gen Laser DLP, short throw , 8000 ANSI Lumens, WUXGA, 3,000,000:1, up to 30,000 Laser hours, 0.75-0.95:1, 1.26X optical zoom, H/V Keystone, H/V lens shift, 10w X 2 speaker, VGA, HDMI 2.0 X2, RS232, RJ45, HDBaseT, HDMI out X1, net 13kg
766907022063	LED , Native Resolution (1280x720), PC 3D Ready, 360 LED lumens , 120,000:1, build in bluetooth & wifi , Light source life 60000 hours , throw ratio 1.2:1, fixed optical zoom, H/V keystone and 4 corner adjustment, Local Storage: Total 16GB (12GB available storage), HDMi 1.4 X1, USB type-c X 1, USB type A (2.0 reader) X 1, 3W cube Harman Kardon speaker x 2, net weight 0.8kg, Built-in Battery (2.5hrs@Normal, 3hrs@Eco), VERSATILE SMART STAND with 360 degree projection)
766907028645	ViewSonic LED google TV built in smart projector, FHD, 500 LED lumens, 60,000 hours, 1.2:1, H/V keystone, HDMi 1.4 X1, USB type-c X 1, USB type A (2.0 reader) X 1, 3W cube Harman Kardon speaker x 2, Built-in Battery (1.5hrs@Normal, 2hrs@Eco), VERSATILE SMART STAND with 360 degree projection), bluetooth & wifi, net weight 0.96kg,
766907023831	Laser RGB , Full HD (1920X1080), 2200 lumens , 3m:1, build in bluetooth & wifi, apps store , Light source life 30000 hours , throw ratio 1.2:1, Digital Zoom: 0.8x-1.0x, H/V keystone and 4 corner adjustment, Local Storage: Total 16GB (12GB available storage, HDMi 1.4 X1, USB type-c X 2 (1 for charging and 1 for display), USB type A (2.0 reader) X 1, 7W cube Harman Kardon speaker, net weight 1.36kg

766907028386	1LCD , Full HD (1920X1080), 630 ANSI lumens, 4200:1, build in bluetooth & wifi, build in google TV , Light source life 20000 hours, throw ratio 1.2:1, Digital Zoom: 0.8x-1.0x, H/V keystone and 4 corner adjustment, auto focus, Local Storage: Total 8GB (4GB available storage), HDMI 1.4 X1, USB type A (2.0 reader) X 2, AV in (3.5mm), Audio out (3.5mm), 5W cube X2 speaker, net weight 3.12kg
766907019551	LED , 3rd Gen LED short throw wireless projector, 2900 LED lumens 60,000 hours lifespan, 4K UHD (3840x2160), Wi-Fi, Bluetooth, and USB-C, TR 0.69-0.83:1, 1.2X zoom, auto H and V keystone, 4-corner adjustment, cinema color Rec 709, HDMI 2.0 X 2, type-c X 1, RS232, 6W Dual Harman Kardon SPK, audio in & out, USB type-A, net weight 3.6kg
766907014549	LED , 0.47" 4K-UHD, PC 3D Ready, 2400 LED lumens, Light source life 30000 hours , 3,000,000:1 contrast, throw ratio 0.8:1, fixed zoom, auto focus and H/V keystone and 4 corner adjustment, wifi, bluetooth, HDMI 2.0 X2, microSD card slot X 1, type-c X 1 (for Video and Power), USB readerX2, RJ45, audio out, 8W cube X2 Harman Kardon speaker, USB type A (power) X 1, REC709, HDR, Voice control for Amazon Alexa/ Google assistant, Aptoide Store, Elegant Stand with Height Adjustment, net weight 4.1kg
766907002324	LED , XPR 4K-UHD, PC 3D Ready, 2900 LED lumens, Light source life 30000 hours , 4,000,000:1 contrast, throw ratio 1.2-1.44:1, 1.2X zoom, auto focus and V keystone, H/V lens shift , wifi, bluetooth, REC709, HDMI 2.0 X4, VGA X1, RJ45/RS232, audio in/out, 20W Dual Harman Kardon speaker, Voice control for Amazon Alexa/ Google assistant, Aptoide Store support Netflix, net weight 7.7kg
766907001655	LED , UST 0.25:1, XPR 4K-UHD, PC 3D Ready, 2400 LED lumens, Light source life 30000 hours , 3,000,000:1 contrast, auto focus and V keystone, H/V lens shift , wifi, bluetooth, REC709, HDMI 2.0 X3, type-c X 1, VGA X1, RJ45/RS232, audio in/out, 20W Dual Harman Kardon speaker, Voice control for Amazon Alexa/ Google assistant, Aptoide Store support Netflix, net weight 9.44kg
76690701611 6	LED , UST 0.22:1, HDR 4K-UHD Smart projector (black), 100% Rec.709, 2000 LED lumens, Light source life 20000 hours , 3m:1 contrast, 4 corner adjustment and 60 points correction , wifi, bluetooth, HDMI 2.0 X2 (one for ARC support), USB type-A X 2 (reader), RJ45, audio in/out, 25W Dual Harman Kardon speaker with Dolby/DTS soundtrack, wireless screen mirroring, app centre, net weight 6.8kg
712899900991	EZCast Pocket Wireless Display HDMI Transmitter + HDMI Receiver. Pocket Size, Plug and Play, Direct HDMI to HDMI Transmission and Simple Setup without Installing App, Multitask with 1080p Mirror or Extend Mode
712899901059	EZCast Pocket Wireless Display HDMI Transmitter + TYPE-C Receiver. Pocket Size, Plug and Play, Direct HDMI to HDMI Transmission and Simple Setup without Installing App, Multitask with 1080p Mirror or Extend Mode
766907017250	3000 lumens, short throw, 3rd Gen LED light source, 30,000 hours (normal), WXGA (1280x800), short TR 0.49:1, fixed zoom, H/V keystone, HDMI X 1, RS232, RJ45, 2W SPK, audio in & out, USB type-A, 360 degree installation. net weight 2.45kg

766907007145	3000 lumens LED light source, 20,000 hours (normal), WXGA (1280x800), TR 1.31~1.56, RJ45, 10W SPK, HV keystore, HDMI X 2, 1.2X zoom, USB type-A, 360 degree installation.
766907847413	laser DLP, 5200 ANSI Lumens, WXGA (1280x800), 0.241:1 ultra short throw, 100,000:1, up to 20,000 laser hours , Keystone: +/-30' (Vertical and Horizontal), speaker, VGA, Component/s-video/composite X 1, HDMI 1.4X1, HDMI/MHL X1, RS232, net 13.6kg
766907932317	laser DLP, 5000 ANSI Lumens, Full HD (1920X1080), 100,000:1, up to 30,000 laser hours , 1.65X optical zoom, Keystone: +/-30' (Vertical and Horizontal), H/V lens shift , 5w X 2 speaker, VGA, composite X 1, HDMI 1.4X3, RS232, RJ45, HDBaseT, 3X Fast Input , net 11kg
766907003048	Laser DLP, 5000 ANSI Lumens, WUXGA, 3,000,000:1, up to 30,000 Laser hours, 1.13-1.47:1, 1.3X optical zoom, Keystone: +/-30' (Vertical and Horizontal), H/V lens shift, 5w X 2 speaker, VGA, composite X 1, HDMI 1.4X3, RS232, RJ45, HDBaseT, 3X Fast Input, net 5.9kg
766907003055	Laser DLP, 5000 ANSI Lumens, WUXGA, 3,000,000:1, up to 30,000 Laser hours, 1.36-2.18:1, 1.6X optical zoom, Keystone: +/-30' (Vertical and Horizontal), H/V lens shift, 5w X 2 speaker, VGA, composite X 1, HDMI 1.4X3, RS232, RJ45, HDBaseT, 3X Fast Input, net 6.4kg
766907019940	Laser DLP, 5000 ANSI Lumens, FHD, 3,000,000:1, up to 30,000 Laser hours, 1.4~2.24:1, 1.6X optical zoom, Keystone: +/-30' (Vertical and Horizontal), Lens Shift V. Range: +0%, -18%, 4 corner adjustment, 15w X 2 speaker, HDMI X2, RS232, RJ45, net 4.5kg
766907003987	Laser DLP, 5000 ANSI Lumens, WUXGA, 3,000,000:1, up to 30,000 Laser hours, 0.81-0.89:1, 1.1X optical zoom, Keystone: +/-30' (Vertical and Horizontal), H/V lens shift, 5w X 2 speaker, VGA, composite X 1, HDMI 1.4X3, RS232, RJ45, HDBaseT, 3X Fast Input, net 6.6kg
766907858211	The ViewSonic® BrilliantColorPanel™ BCP100 is the ideal screen for ultra-short throw projectors with a 0.30 throw ratio or less. With a 100" screen size and 16:9 aspect ratio, the BCP100 is designed to deliver huge 1080p images. By diffusing high ambient light, this screen enhances contrast and helps to eliminate washed out images, making it perfect for businesses, classrooms, public displays, and home theaters. With a simplistic design, the BCP100 can be quickly and easily assembled and mounted with the included hardware.