

IN WIN

Bizgram Asia Pte Ltd

Retail Wholesale Factory Outlet Address : #05-50 Sim Lim Square 1 Rochor Canal Road Singapore 188504

Operating Hours : Mon to Sun – 10am to 7.30pm Public Holidays – OPEN

Tel : +65-63346455 / 63341373

Fax : NO MORE FAX SMS / **Whatsapp :** +65 – 8777 6955

PRODUCT	CHASSIS NUMBER SERIES	FORM	FEATURES
	A3 BLACK 	mATX	- PORTS: 1x USB3.2 (G2) TYPE C 2x USB3.2 (G1) HD AUDIO - DRIVE: 2x 3.5" / 2.5", 1x 2.5" - CPU HEATSINK HEIGHT: 162mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 340mm - SUPPORT UP TO 240mm RADIATOR - 1x INWIN MERCURY FAN (AM120S) INCLUDED
	A3 WHITE 	mATX	

	A5 BLACK 	EATX	- PORTS: 1x USB3.2 (G2) TYPE C 2x USB3.2 (G1) HD AUDIO - DRIVE: 2x 3.5" / 2.5", 2x 2.5" - CPU HEATSINK HEIGHT: 162mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 340mm - SUPPORT UP TO 240mm RADIATOR - 1x INWIN MERCURY FAN (AM120S) INCLUDED
	A5 WHITE 	EATX	- PORTS: 1x USB3.2 (G2) TYPE C 2x USB3.2 (G1) HD AUDIO - DRIVE: 2x 3.5" / 2.5", 2x 2.5" - CPU HEATSINK HEIGHT: 162mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 340mm - SUPPORT UP TO 240mm RADIATOR - 1x INWIN MERCURY FAN (AM120S) INCLUDED
	101C WHITE NO FANS 	ATX	- PORTS: 1x USB3.1 (G2) TYPE C 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" <u>or</u> 4x 2.5" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 305mm (WITH SIDE RADIATOR) - SUPPORT UP TO 240mm RADIATOR
	101C BLACK 	ATX	- 3x POLARIS RGB FANS INCLUDED - PORTS: 1x USB3.1 (G2) TYPE C 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" <u>or</u> 4x 2.5" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 305mm (WITH SIDE RADIATOR) - SUPPORT UP TO 240mm RADIATOR
	103 BLACK  NO FANS INCLUDED	ATX	- PORTS: 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" <u>or</u> 4x 2.5" - CPU HEATSINK HEIGHT: 160mm

	103 WHITE  NO FANS INCLUDED	ATX	- PSU LENGTH: 200mm - VGA CARD LENGTH: 305mm (WITH SIDE RADIATOR) - SUPPORT UP TO 240mm RADIATOR
	C216 NO FANS INCLUDED	NEW EATX	- PORTS: 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" - CPU HEATSINK HEIGHT: 166mm - PSU LENGTH: 220mm - VGA CARD LENGTH: 380mm (MAX) - SUPPORT 360 RADIATOR WITH FANS (HEIGHT UP TO 70mm)
	315 BLACK 1x AL120 LUNA FAN INCLUDED 	NEW EATX	- 3 SIDED TEMPERED GLASS SEE-THRU DESIGN - QUICK RELEASE SIDE PANEL - 1x AL120 LUNA ARGB FAN INCLUDED - GPU HOLDER INCLUDED - PORTS: 1x USB3.1 (G2) TYPE C 2x USB3.0 HD AUDIO - DRIVE: 2x 3.5" 2x 2.5" - CPU HEATSINK HEIGHT: 160mm - PSU LENGTH: 200mm - VGA CARD LENGTH: 350mm (MAX) - SUPPORT 360 RADIATOR WITH FANS (HEIGHT UP TO 70mm)
	915 BLACK  NO FANS INCLUDED	EATX	- TOOL-LESS QUICK RELEASE TEMPERED GLASS - SILKSCREEN TEMPERED BACK GLASS PANEL - ALUMINIUM CURVED FRONT & BACK PANELS - MOTORIZED TOP VENTILATION - EXPANDABLE PSU BAY - PORTS: 1x USB3.1 (G2) TYPE C 2x USB3.0 HD AUDIO - DRIVE: 4x 3.5" 9x 2.5" <u>or</u> 13x 2.5"
	915 SILVER  NO FANS INCLUDED	EATX	- CPU HEATSINK HEIGHT: 164mm - PSU LENGTH: 250mm (UP TO 320mm WITH HDD CAGE REMOVED) - VGA CARD LENGTH: 410mm (MAX) - PCIE SLOTS X8 - VERTICAL PCIE SLOTS X2 FOR VERTICAL GPU MOUNTING - SUPPORT UP TO 360MM RADIATOR WITH FANS (HEIGHT MAX: 70mm)

PRODUCT	CHASSIS ITX SERIES	FORM	FEATURES
	CHOPIN BLACK (150W 80+ BRONZE)	ITX	- 3.3L ULTRA SMALL FORM FACTOR - SLEEK ALUMINIUM EXTERIOR - PERFORATED MESH FOR EXCELLENT VENTILATION - DUAL ORIENTATION AND SPACE SAVING SAVVY DESIGN - PORTS: 2x USB3.0 HD AUDIO - DRIVE: 2X 2.5" - CPU HEATSINK HEIGHT: 43mm MAX - 150W 80+ BRONZE PSU INCLUDED
	CHOPIN SILVER (150W 80+ BRONZE)	ITX	
	CHOPIN MAX TITANIUM GREY (200W 80+ GOLD) 	NEW ITX	- 3.3L ULTRA SMALL FORM FACTOR - SLEEK ALUMINIUM EXTERIOR - PERFORATED MESH FOR EXCELLENT VENTILATION - DUAL ORIENTATION AND SPACE SAVING SAVVY DESIGN - PORTS: 2x USB3.0 HD AUDIO - DRIVE: 2X 2.5" - CPU HEATSINK HEIGHT: 54mm MAX - 200W 80+ GOLD PSU INCLUDED
PRODUCT	CHASSIS ITX SERIES	FORM	FEATURES


	A1 BLACK (600W 80+ BRONZE) 	ITX	- WIRELESS QI CHARGING - TEMPERED GLASS TOP & ALUMINIUM BRUSH FRONT - 2x POLARIS FANS INCLUDED - TINTED TRANSPARENT STAND WITH RGB EFFECTS - PORTS: 2X USB3.0 HD AUDIO - DRIVE: 2x 2.5" - CPU HEATSINK HEIGHT: 160mm - VGA CARD LENGTH: 320mm MAX - SUPPORT DUAL SLOT GRAPHICS CARD - 600W 80+ BRONZE PSU INCLUDED
	A1 WHITE (600W 80+ BRONZE) 	ITX	
	 (650W 80+ GOLD) 	ITX	- WIRELESS QI CHARGING - TEMPERED GLASS TOP & ALUMINIUM BRUSH FRONT - 2x SIRUS LOOP FANS (ASL120) INCLUDED - TINTED TRANSPARENT STAND WITH ADDESSABLE RGB EFFECTS - PORTS: 2X USB3.0 HD AUDIO - DRIVE: 2x 2.5" - CPU HEATSINK HEIGHT: 160mm - VGA CARD LENGTH: 320mm MAX - SUPPORT DUAL SLOT GRAPHICS CARD - 650W 80+ GOLD PSU INCLUDED
	A1 PRIME BLACK (750W 80+ GOLD)  	NEW ITX	- TEMPERED GLASS TOP & ALUMINIUM BRUSH FRONT - 2x SIRUS LOOP FANS (ASL120) INCLUDED - TINTED TRANSPARENT STAND WITH ADDESSABLE RGB EFFECTS - PORTS: 2X USB3.0 HD AUDIO - DRIVE: 2x 2.5" - CPU HEATSINK HEIGHT: 160mm - VGA CARD LENGTH: 320mm MAX - SUPPORT DUAL SLOT GRAPHICS CARD - 750W 80+ GOLD PSU INCLUDED
	A1 PRIME WHITE (750W 80+ GOLD)  	NEW ITX	

PRODUCT	CHASSIS ITX SERIES	FORM	FEATURES
	EXPLORER BONE WHITE (IACFBA-000010) 	NEW ITX	- UNIQUE BUILD IT YOURSELF CONCEPT - SPACIOUS INTERIOR - SWAPPABLE FRONT PLATE FOR CUSTOMIZATION - 3x LUNA FANS (AL120) INCLUDED - 2x TEMPERED GLASS SIDE PANELS - PORTS: 1X USB3.1(G2) TPE C 2X USB3.0 HD AUDIO - DRIVE: 2x 2.5" 1x 3.5"
	EXPLORER JUSTICE WHITE (IACFBA-000020) 	NEW ITX	- CPU HEATSINK HEIGHT: 160mm - VGA CARD LENGTH: 330mm MAX - SUPPORT TRIPLE SLOT GRAPHICS CARD - SUPPORT UP TO 240MM RADIATOR
	B1 MESH (200W 80+ GOLD) 	NEW ITX	- FULL MESH PANEL FOR AIR FLOW - SMALL FOOTPRINT WITH EXQUISITE STREAMLINE DESIGN - VERSATILE ORIENTATION WITH STYLE - PORTS: 1X USB3.0 HD AUDIO - DRIVE: 2x 2.5" - CPU HEATSINK HEIGHT: 60mm MAX - 200W 80+ GOLD PSU INCLUDED
	B1 BLACK (200W 80+ GOLD) 	 ITX	- TEMPERED GLASS PANEL FOR SLEEK LOOK - SMALL FOOTPRINT WITH EXQUISITE STREAMLINE DESIGN - VERSATILE ORIENTATION WITH STYLE - PORTS: 1X USB3.0 HD AUDIO - DRIVE: 2x 2.5" - CPU HEATSINK HEIGHT: 60mm MAX - 200W 80+ GOLD PSU INCLUDED

PRODUCT	CHASSIS S.F.F SERIES	FORM	FEATURES
	IW-CJ708 (265W 80+ BRONZE)	mATX	- 8L ULTRA SMALL FORM FACTOR - TOOL-FREE INTERNAL DESIGN FOR BAY AND PCIE SLOTS - BAYS: 1x SLIM ODD BAY (9.5mm THICKNESS) - PORTS: 2x USB3.0 2X USB2.0 HD AUDIO - DRIVE: 1x 3.5" 1X 2.5" - CPU HEATSINK HEIGHT: 45mm MAX - 265W 80+ BRONZE PSU INCLUDED - PADLOCK LOOP / KENSINGTON SLOT
	CE052 (300W 80+ BRONZE)	NEW mATX	- 11.9L SLIM SMALL FORM FACTOR - TOOL-FREE INTERNAL DESIGN FOR BAY AND PCIE SLOTS - BAYS: 1x SLIM ODD BAY (9.5mm THICKNESS) - PORTS: 2x USB3.0 2X USB2.0 HD AUDIO - DRIVE: 1x 3.5" 1x 2.5" - CPU HEATSINK HEIGHT: 45mm MAX - 300W 80+ BRONZE PSU INCLUDED - PADLOCK LOOP / KENSINGTON SLOT
PRODUCT	CHASSIS SERVER	FORM	FEATURES
	R400-01N	EEB	- BAYS (EXTERNAL): 3x 5.25" 1x 3.5" - BAYS (INTERNAL): 4x 3.5" 1X 2.5" - PORTS: 2X USB2.0 - CPU HEATSINK HEIGHT: 164mm MAX - VGA CARD LENGTH: 350mm (MAX) - COMPATIBLE WITH STANDARD PS2 OR MINI REDUNDANT PSU - CONVERTIBLE TO TOWER WITH <u>OPTIONAL</u> CHASSIS STAND - SUPPORT 28" TOOL-LESS & BALL-BEARING SLIDE RAILS

PRODUCT	ACCESSORIES SERVER	FORM	FEATURES
	4U RAIL KIT	23"	23" Ball-bearing slide rail kit for R400-01N
PRODUCT	AIO COOLER SR SERIES	FORM	FEATURES
	SR24 PRO 	NEW 240MM	SR Series PUMP - PATENTED TWIN TURBINES TECHNOLOGY - DUAL CHAMBER DESIGN - CAUTIONARY LED FOR MONITORING PUMP - ADDRESSABLE RGB LOGO INDICATOR - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - SPEED: 2400 RPM (+10%)
	SR36 PRO 	NEW 360MM	JUPITER AJE120 - NOISE: 23 dBA - CFM: 101.5 - SPEED: 500 ~ 2500 RPM - DOUBLE BALL BEARING

PRODUCT	AIO COOLER BR SERIES	FORM	FEATURES
	BR24 	NEW 240MM	BR Series PUMP - LIQUID CPU + UMA COOLING DESIGN IN 1 SOLUTION. (UPPER MOTHERBOARD AREA) - UNIQUE PUMP DESIGN ON TUBES - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - PUMP SPEED: 5200 RPM (+10%) - FAN SPEED: 2400 RPM (+10%)
	BR36 	NEW 360MM	LUNA AL120 - NOISE: 35.5 dBA - CFM: 82.96 - SPEED: 500 ~ 1800 RPM - SLEEVE BALL BEARING
PRODUCT	FANS SIRUS SERIES	FORM	FEATURES
	SIRUS LOOP ASL 12 (3-PACK) 	120MM	- DAISY CHAIN-ABLE Y-CABLE (580mm + 200mm) - IN BUILT SHOCK PROOF MOUNTS - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - FAN RATED: 1.2W 0.10A - CFM: 50 - SPEED: 500 ~ 1800 RPM

	SIRUS PURE ASP 12 (3-PACK) 	120MM	- DAISY CHAIN-ABLE Y-CABLE (580mm + 200mm) - IN BUILT SHOCK PROOF MOUNTS - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - FAN RATED: 1.2W 0.10A - CFM: 50 - SPEED: 500 ~ 1800 RPM
PRODUCT	FANS SIRUS SERIES	FORM	FEATURES
	SIRUS EXTREME ASE120 (3-PACK) 	NEW 120MM	- DAISY CHAIN-ABLE Y-CABLE (580mm + 200mm) - IN BUILT SHOCK PROOF MOUNTS - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - FAN RATED: 1.5W 0.30A - CFM: 54 - SPEED: 400 ~ 1500 RPM
	SIRUS EXTREME ASE120P (3-PACK) 	NEW 120MM	- DAISY CHAIN-ABLE Y-CABLE (580mm + 200mm) - IN BUILT SHOCK PROOF MOUNTS - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - FAN RATED: 1.5W 0.30A - CFM: 54 - SPEED: 400 ~ 1500 RPM
PRODUCT	FANS MERCURY - ARGB	FORM	FEATURES

 Low Profile (20 mm)	MERCURY AM120S (3-PACK) 	NEW 120MM	- CONCENTRATED AIR FLOW + LOW PROFILE (20mm) - DAISY CHAIN-ABLE Y-CABLE (500mm + 130mm) - IN BUILT SHOCK PROOF MOUNTS - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - FAN RATED: 1.4W 0.28A - CFM: 60.71 - SPEED: 400 ~ 2000 RPM
PRODUCT	FANS LUNA - ARGB	FORM	FEATURES
	LUNA AL120 (3-PACK) 	120MM	- HIGH AIR FLOW - DAISY CHAIN-ABLE Y-CABLE (600mm + 100mm) - IN BUILT SHOCK PROOF MOUNTS - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - FAN RATED: 3.96W 0.33A - CFM: 82.96 - SPEED: 500 ~ 1800 RPM
PRODUCT	FANS POLARIS - RGB	FORM	FEATURES
	POLARIS-RGB (TWIN FAN) 	120MM	- DAISY CHAIN-ABLE, SINGLE MODULAR CONNECTOR DESIGN - IN BUILT SHOCK PROOF MOUNTS - RGB - FAN RATED: 1.2W 0.10A - CFM: 43.31 - SPEED: 500 ~ 1280 RPM

PRODUCT	FANS CROWN - ARGB	FORM	FEATURES
	AC120FAN-2PK 	120MM	- HIGH STATIC PRESSURE - DAISY CHAIN-ABLE, SINGLE MODULAR CONNECTOR DESIGN - IN BUILT SHOCK PROOF MOUNTS - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - FAN RATED: 2.16W 0.18A - CFM: 53.08 - SPEED: 500 ~ 1600 RPM 14.7 ~ 28.3 db(A)
	AC140FAN-2PK 	140MM	- HIGH STATIC PRESSURE - DAISY CHAIN-ABLE, SINGLE MODULAR CONNECTOR DESIGN - IN BUILT SHOCK PROOF MOUNTS - ADDRESSABLE RGB WITH CONTROLLER INCLUDED - FAN RATED: 2.4W 0.2A - CFM: 69.03 - SPEED: 500 ~ 1500 RPM 18.1 ~ 32.5 db(A)
INWIN ACCESSORIES			
PRODUCT	PCI-E RISER CABLE & BRACKET	FORM	FEATURES

	IW-PCIE4-25-BRACKET	ATX (6 SLOTS)	- PCI-E 4.0 x16 FLEXIBLE RISER ▪ CABLE LENGTH: 250 MM ▪ RISER LENGTH: 297 MM - VERTICAL MOUNT INCLUDED - UTILIZE ANY ATX CHASSIS (6 PCIe SLOTS REQUIRED)
	PCI-E RISER CABLE&SO	ATX (6 SLOTS)	- PCI-E 3.0 x16 FLEXIBLE RISER ▪ CABLE LENGTH: 250 MM ▪ RISER LENGTH: 297 MM - VERTICAL MOUNT INCLUDED - UTILIZE ANY ATX CHASSIS (6 PCIe SLOTS REQUIRED)
PRODUCT	PSU 80+ GOLD	FORM	FEATURES
	CS-700W 	FULL MODULAR	- COMPACT SFX SERIES - CERTIFICATION: 80+ GOLD - FULL MODULAR WITH ALL FLAT CABLES - FAN: 92mm - PREMIUM JAPANESE ALUMINIUM ELECTROLYTICS CAPACITORS - 5 YEARS WARRANTY
PRODUCT	PSU 80+ GOLD	FORM	FEATURES

	P65 650W 	FULL MODULAR	- P SERIES - CERTIFICATION: 80+ GOLD - FULL MODULAR WITH ALL FLAT CABLES - FAN: 135mm FLUID DYNAMIC BEARING (FDB) - PREMIUM JAPANESE ALUMINIUM ELECTROLYTICS CAPACITORS - 5 YEARS WARRANTY
	P75 750W 		
	P85 850W 		
	P105 1050W 		
	P125 1250W 	NEW	

PRODUCT	PSU 80+ PLATINUM	FORM	FEATURES
	CB-1050W 	FULL MODULAR	- CLASSIC BASIC SERIES - CERTIFICATION: 80+ PLATINIUM - FULL MODULAR WITH ALL FLAT CABLES - FAN: 135mm DOUBLE BALL BEARING (DBB) - PREMIUM JAPANESE ALUMINIUM ELECTROLYTICS CAPACITORS - DIGITAL VOLTAGE FEEDBACK DESIGN - ULTRA QUIET SMART FAN CONTROL - 7 YEARS WARRANTY