

VIEWSONIC

Bizgram Asia Pte Ltd

Retail Wholesale Factory Outlet Address : #05-50 Sim Lim Square 1 Rochor Canal Road Singapore 188504

Operating Hours : Mon to Sun – 10am to 7.30pm Public Holidays – OPEN

Tel : +65-63346455 / 63341373

Fax : NO MORE FAX SMS / **Whatsapp :** +65 – 8777 6955

LCD Monitor	
Model	Brief Specs
VA2409-MHU	23.6" wide, SuperClear™ IPS , 1920x1080 (Full HD), 50million:1 (DCR), 75Hz , Adaptive Sync, 3ms, VGA, HDMI & Type-C 3.2 (65W)X 1, 2Wx2 Speakers , 100x100mm VESA mount, eye care through Flicker-Free technology,Blue Light Filter, eco mode, net weight 2.7kg
VG2709-MHU	27" wide, SuperClear™ IPS , 1920x1080 (Full HD), 50million:1 (DCR), 75Hz , Adaptive Sync, 5ms, VGA, HDMI & Type-C 3.2 (65W)X 1, 2Wx2 Speakers , tilt, Pivot, Height A/J & Swivel, eye care through Flicker-Free technology,Blue Light Filter, eco mode, 100x100mm VESA mount, net weight 4.7kg
VG2740V	27" wide, Builtin Full HD webcam and microphone , IPS Panel, LED BackLight, 1920x1080 (Full HD), 178/178, 80million:1 (DCR), 5ms (GTG), VGA, HDMI 1.4, DP 1.2 X1, USB 3.0 (up X1, down X 3), 2w Dual frontfacing speakers, tilt, Pivot, Height A/J & Swivel, flicker free, blue light filter for eye care, VESA mount, net weight 7.2kg
VG3456	34" ultra-wide, 21:9 , VA Panel, 3440 x 1440 Resolution, 178/178, 50million:1 (DCR), 5ms (GTG), 300cd/m, HDMI 1.4X 2, DP 1.2 X1, USB type-c 3.2 X1 , USB 3.2 (up X1, down X 3), RJ45 X 1 , 3w speaker X 2, tilt, Height A/J & Swivel, flicker free, blue light filter for eye care, VESA mount, net weight 8.8kg
Retail and corporate Monitors	
17-INCH Square	
VA709	17" (5:4), LED Backlight, 1280x1024, 50m :1 (DCR), 5ms, VGA and DVI, no speaker
VA1903H-2	18.5" wide, LED backlight, 1366x768, 80million:1 (VS advanced CR), 5ms, VGA and HDMI, no Speaker
21.5-INCH wide	
VA220-H	21.5" wide, SuperClear™ IPS , 3 sided frameless, 1920x1080 (Full HD), 50million:1 (DCR), 100Hz, Variable Refresh Rate Technology , 1ms, VGA, HDMI X 1, no Speakers , 75x75mm VESA mount, Flicker-Free technology,Blue Light Filter and eco mode for eye protection, net weight 2.7kg
VA2215-H	21.5" wide, LED Backlight, 75hz adaptive-Sync, SuperClear® VA, 1920x1080 (Full HD), 50million:1 (DCR), 5ms, 250 cd/m, VGA & HDMI, no Speakers but have 3.5mm audio out, 75X75mm VESA mount, eye care with Flicker-Free and Blue Light Filter, eco mode for low energy consumption, ** HDMI Cable included **
24-INCH wide	
VA240A-H	23.8" wide, SuperClear™ IPS , 3 sided frameless, 1920x1080 (Full HD), 50million:1 (DCR), 120Hz, Variable Refresh Rate Technology , 1ms, VGA, HDMI X 1, no Speakers , 75x75mm VESA mount, Flicker-Free technology,Blue Light Filter and eco mode for eye protection, net weight 2.7kg
VA2432-MH	23.8" wide, SuperClear™ IPS , 3 sided frameless, 1920x1080 (Full HD), 50million:1 (DCR), 100Hz , Adaptive Sync, 5ms, VGA, HDMI X 1, 3.5mm audio out, built in Speakers , 75x75mm VESA mount, Flicker-Free technology,Blue Light Filter and eco mode for eye protection, net weight 2.7kg
VA2432-MHD	23.8" wide, SuperClear™ IPS , 3 sided frameless, 1920x1080 (Full HD), 50million:1 (DCR), 100Hz , Adaptive Sync, 5ms, VGA, HDMI & DP X 1, built-in speaks , 75x75mm VESA mount, Flicker-Free technology,Blue Light Filter and eco mode for eye protection, net weight 2.7kg
27-INCH wide	
VA270A-H	27" wide, SuperClear™ IPS , 3 sided frameless, 1920x1080 (Full HD), 50million:1 (DCR), 120Hz , 4ms, VGA, HDMI X 1, no speaker 100x100mm VESA mount, Flicker-Free technology,Blue Light Filter and eco mode for eye protection, net weight 4.1kg
VA2732-MH	27" wide, SuperClear™ IPS , 3 sided frameless, 1920x1080 (Full HD), 50million:1 (DCR), 75Hz , 4ms, VGA, HDMI X 1, 2W X2 built in Speakers , 100x100mm VESA mount, Flicker-Free technology,Blue Light Filter and eco mode for eye protection, net weight 4.1kg
VA2708-2K-MHD	27" wide, SuperClear™ IPS , 3 sided frameless, 2K 2560x1440 (WQHD), HDR, 50million:1 (DCR), 100Hz , 1ms, DPx1, HDMI 2.0X 2, 2W X2 built in Speakers, 75x75mm VESA mount, Flicker-Free technology,Blue Light Filter and eco mode for eye protectio, net weight 4.1kg
29-INCH ultra-wide	
VA2932-mhd	29" ultra-wide, SuperClear™ IPS, 21:9 aspect ratio, 3-side borderless bezel, WFHD 2560 x 1080 resolution , 75Hz adaptive-sync, 250cd/m, 80million:1 (DCR), 4ms, 2Wx2 build in speaker , HDMI x 2, DP X1, audio out, eye care through flicker-free Technology and blue light filter, VESA mount (100X100), net weight 4.3kg
32-INCH wide	
VA3209-MH	32" wide, SuperClear™ IPS, 3 sided frameless, FHD , 250cd/m, 75hz , 50million:1 (DCR), 4ms, 2.5Wx2 build in speaker , VGAX1, HDMI 1.4 x 1, audio out, 104% sRGB, adaptive-sync, eye care through flicker-free Technology and blue light filter, VESA mount (100X100), net weight 7.3kg
VX3276-2K-mhd-2	32" wide, SuperClear™ IPS, silver color , art slim 3 sided frameless, 2560x1440 (WQHD) , HDR , 250cd/m, 75hz , 80million:1 (DCR), 4ms, 2Wx2 build in speaker , HDMI 1.4 x 2 / mini DP/DP, audio out, 103% sRGB, adaptive-sync, eye care through flicker-free Technology and blue light filter, VESA mount (100X100), net weight 6.2kg
VA3208-4K-MHD	32" wide, SuperClear™ VA , frameless, 3840 X 2160 (UHD), 300cd/m, 50million:1 (DCR), 4ms, HDMI 2.2 X2 / DisplayPort X 1, speaker 2.5WX2, tilt, with eye care through flicker-free Technology and blue light filter, VESA mount (100X100mm), net weight 6.6kg
COMMERCIAL SERIES	
VA1655-3	15.6" LED BackLight, IPS, Plastic frame, 1920x1080 (Full HD), 50million:1 (DCR), Anti-Glare, Hard Coating (≥3H), 6.1mm thickness, 0.8W x 2 speaker, USB type-c port (power only) X 1, USB type-c 3.2 X 1 (60W type-c charging and display, on-the-go), mini HDMI X 1, 3.5mm audio out X1, 60W type-c charging, on-the-go, Flicker-free and blue light filter, net weight 0.7kg (package content: VA1655 x1, mini HDMI to HDMI Cable (v1.4; Male-Male) x1, USB Type-C Cable (Male-Male) x1, Quick Start Guide x1, Sleeve case x1)

VG1655	15.6" LED BackLight, IPS, metal frame , 1920x1080 (Full HD), 50million:1 (DCR), Anti-Glare, Hard Coating (≥3H), 6.1mm thickness, 0.8W x 2 speaker, USB 3.2 type-c port X 2, mini HDMI X 1, 60W type-c charging, on-the-go, Flicker-free and blue light filter, net weight 0.8kg (mini HDMI to HDMI Cable (v1.4; Male-Male) x1, USB Type-C Cable (Male-Male) x1, USB Type-C to Type-A 3.2 Gen1 Cable (Male-Male) x1, AC/DC Adapter x1, Protect cover x1, Clean cloth x1
VG2409-MHU	23.6" wide, SuperClear™ IPS , 1920x1080 (Full HD), 50million:1 (DCR), 75Hz , Adaptive Sync, 5ms, VGA, HDMI & Type-C 3.2 (65W)X 1, 2Wx2 Speakers , tilt, Pivot, Height A/J & Swivel, eye care through Flicker-Free technology,Blue Light Filter, eco mode, 100x100mm VESA mount, net weight 4.7kg
VG2709-2K-MH DU	27" wide, SuperClear™ IPS, HDR10, 2560x1440 (QHD), 50million:1 (DCR), 75Hz, 5ms, HDMI DP & Type-C 3.2 (65W)X 1, 2Wx2 Speakers, tilt, Pivot, Height A/J & Swivel, eye care through Flicker-Free technology,Blue Light Filter, eco mode, 100x100mm VESA mount, net weight 6.7kg
VG2456	24" wide, type-c and Ethernet docking monitor , SuperClear™ IPS, Three-sided frameless bezel, 1920x1080 (Full HD), 250cd/m, 50million:1 (DCR), 5ms, HDMI, DP, DP out, USB Type-C, Ethernet, and USB 3.2, Daisy chain enabled , 2Wx2 Speakers, tilt, Pivot, Height A/J & Swivel, flicker free, blue light filter for eye care, VESA mount, net weight 6.4kg
VG2756-2K	27" wide, type-c and Ethernet docking monitor , SuperClear™ IPS, Three-sided frameless bezel, 2K QHD (2560x1440), 250cd/m, 50million:1 (DCR), 5ms, HDMI, DP, DP out, USB Type-C, Ethernet, and USB 3.2, Daisy chain enabled , 2Wx2 Speakers, tilt, Pivot, Height A/J & Swivel, flicker free, blue light filter for eye care, VESA mount, net weight 6.9kg
VG2757V-2K	27" wide, Builtin 5.0M pixel webcam with AI-powered two-way noise-reductionspeaker & microphone, type-c and Ethernet docking monitor , SuperClear™ IPS, Three-sided frameless bezel, 2K QHD (2560x1440), 250cd/m, 50million:1 (DCR), 5ms, HDMI, DP, DP out, USB Type-C, Ethernet, and USB 3.2, Daisy chain enabled , 2Wx2 Speakers, tilt, Pivot, Height A/J & Swivel, flicker free, blue light filter for eye care, VESA mount, net weight 8.4kg
VG3457CV	34" QHD 100Hz Video Conferencing type-c and Ethernet docking Monitor with Windows Hello and Zoom® Certified Pop-up Webcam and speakers, , Builtin 5.0M pixel webcam with AI-powered two-way noise-reductionspeaker & microphone, SuperClear™ IPS, Three-sided frameless bezel, 2K QHD (2560x1440), 350cd/m, 80million:1 (DCR), 100Hz, 5ms, HDMI, DP, DP out, USB Type-C X 2 (15W charging X1, PD 90W X 1), Ethernet, and USB 3.2, Daisy chain enabled , 5Wx2 Speakers, tilt, Pivot, Height A/J & Swivel, flicker free, blue light filter for eye care, VESA mount (100X100mm), net weight 8kg

TOUCH SCREEN MONITOR

TD1630-3	10-point projected capacity Touch Display, 15.6" LED BackLight, 1366x768, 1W x 2 speaker, VGA/HDMI, USB 1up, VESA mount, Flicker-free and blue light filter, net weight 1.32kg
TD1655	10-point projected capacity Touch Display, 15.6" LED BackLight, IPS, 1920x1080 (Full HD), 50million:1 (DCR), Glossy w/ anti-finger print, Hard Coating (≥6H), 6.1mm thickness, 0.8W x 2 speaker, USB 3.1 type-c port X 2, mini HDMI X 1, audio out X1, 60W type-c charging, on-the-go, Flicker-free and blue light filter, net weight 0.94kg (Passive touch pen x1, type-c cable X1, mini hdmi to hdmi cable X 1)
TD2223-2	10-point IR Touch Display, Finger, stylus, and glove touch compatible, Magnetic pen placeholder (stylus pen optional, 6mm and above), 21.5" (TN) LED BackLight, 1920x1080 (Full HD), 20million:1 (DCR), 5ms, VGA & DVI and HDMI, USB Ports x 2, build in 2Wx2 Speakers, Supports Windows, macOS*, Android, Chrome OS, Linux and Raspberry Pi
TD2423	10-point IR Touch Display, Finger, stylus, and glove touch compatible, Magnetic pen placeholder (stylus pen optional, 6mm and above), 23.6" (VA) LED BackLight, 1920x1080 (Full HD), 20million:1 (DCR), 5ms, VGA & DVI and HDMI, USB Ports x 2, build in 2Wx2 Speakers, Supports Windows, macOS*, Android, Chrome OS, Linux and Raspberry Pi
TD2230	10-point projected capacity Touch Display, SuperClear® IPS panel, 21.5" Frameless Design, 1920x1080 (Full HD), 50million:1 (DCR), VGA HDMI v.1,4 & Display Port 1.2, USB Ports 1up2down, build in Speakers, tilt 20° ~ 70°, 90° (lay flat) , net weight 3.58kg
TD2465	10-point projected capacity Touch Display, SuperClear® IPS panel, 23.8" Frameless Design, 1920x1080 (Full HD), 20million:1 (DCR), VGA HDMI v.1,4 & Display Port 1.2, USB Ports 1up2down, build in Speakers, comes complete with both Book Stand & Standard Stand, Pen Compatibility & Palm Rejection, net weight 5.7kg
TD2455	10-point in-cell touch technology and an advanced ergonomic design, magnetic stylus pen , SuperClear® IPS panel, 23.8" Frameless Design, 1920x1080 (Full HD), 50million:1 (DCR), HDMI v.1,4 & Display Port 1.2, DP out, USB 3.1 A/B/C x 1, 2WX2 Speakers, net weight 6.4kg
ID2456	10-point PCAP touch technology and bookstand design, active stylus pen (support microsoft inking) , SuperClear® IPS panel, 23.8" Frameless Design, 1920x1080 (Full HD), 50million:1 (DCR), VGA, HDMI and type-c (90W), HDMI out X 1 , USB 3.0 Ax2 and Bx1, 3WX2 Speakers, net weight 5kg
TD2760	10-point capacity Touch Display, 27" LED BackLight, 1920x1080 (Full HD), 50million:1 (DCR), VGA, HDMI v.1,4 (MHL) & Display Port, USB Ports x 2, RS232 in X 1, 2w X 2 Speakers, Supports Windows 7/8/10, macOS tested, the latest Linux Kernel 4.X/3.X, the latest Chrome version, and Android 6.0 & 7.0, bookstand design, Tilt (Forward/Back): -4º / 90º or lay flat, net weight 7.9kg
TD3207	10-point capacity Touch open frame Display (no stand), 32" VA LED BackLight, 450 cd/m, 1920x1080 (Full HD), 50million:1 (DCR), HDMI & Display Port, USB typ B x 1, RS232 in X 1, 3.5mm audio out, 2w X 2 Speakers, Supports Windows 10/11, macOS tested, fit 2 VESA mount standar (200X100 or 400X200mm), net weight 12.8kg

Professional monitor

VP2456	23.8" wide, FHD (1920X1080) IPS, 100% sRGB color coverage & Delta E < 2 color accuracy, 20million:1 (DCR), 5ms, 60W type-C /DP X 1/HDMI 1.4 X 1, USB port (up X 1, down X 3), tilt/swivel/pivot/height adjustment, VESA mount, Flicker-free and blue light filter, net weight 6.5kg
VP2756-2K	27" wide color pro, 2K (2560x1440) IPS, 100% sRGB color coverage & Delta E < 2 color accuracy, 20million:1 (DCR), 5ms, 60w type-c 3.2 X1/DP 1.2 X 1/HDMI 1.4 X 1, USB 3.2 port (up X 1, down X 2), tilt/swivel/pivot/height adjustment, 2wx2 speakers, VESA mount, Flicker-free and blue light filter, net weight 6.9kg
VP2756-4K	27" wide color pro, UHD (3840x2160) IPS, 100% sRGB color coverage & Delta E < 2 color accuracy, 20million:1 (DCR), 5ms, 60w type-c 3.2 X1/DP 1.2 X 1/HDMI 2.0 X 2, USB 3.2 port (up X 1, down X 2), tilt/swivel/pivot/height adjustment, 2wx2 speakers, VESA mount, Flicker-free and blue light filter, net weight 7.5kg
VP2786-4K	27" wide Fogra & G7 Validated Photo Editing & Printout Monitor with integrated calibrator, Adobe RGB, 10 bit Color & ColorPro Sense, UHD (3840x2160), IPS, 350cd/m, 100% Adobe RGB color Coverage , 98% DCI-P3, Delta E < 2 color accuracy, HDR10 , 20million:1 (DCR), 5ms, 90w type-c 3.2 X1/DP X 1/HDMI 2.0 X 2, USB 3.2 port (up X 1, down X 4), 3wx2 speakers, tilt/swivel/auto pivot*/height adjustment, VESA mount, built-in ambient light and presence sensor, Hardware calibration, net weight 8.3kg, (Package include Hood x1, ColorPro Wheel x1)
VP3256-4K	32"W (31.5" Viewable), UHD 3840 x 2160 HDR10 , IPS, 350cd/m, 100% sRGB color coverage, 100% REC709 coverage, HW calibration, 20million:1 (DCR), 5ms, 60W USB 3.2 type-c X 1, DisplayPort x 1, HDMI 2.0 x 2, UPstream: B Type (USB 3.2 x1), Downstream: A Type (USB 3.2 x2), 3wx2 speakers, tilt/swivel/auto pivot*/height adjustment, VESA mount, Flicker-free and blue light filter, net weight 10.9kg

Gaming monitor

Curve gaming

VX2718-2KPC-MHD	27" wide, 1ms, 165Hz , SuperClear® VA (Cureved 1500R), (2560x1440) 2K QHD, 80million:1 (DCR), Adaptive Sync , 2Wx2 speaker, HDMI 2.0 X 2, DP X 1, Flicker-free and blue light Filter, net weight 3.9kg, VESA mount (75X75mm)
VX3218-PC-MHD	31.5" wide, 1ms, 165Hz , SuperClear® VA (Cureved 1500R), 1920x1080(Full HD), 80million:1 (DCR), Adaptive Sync , 2Wx2 speaker, HDMI 1.4 X 2, DP X 1, audio out, Flicker-free and blue light Filter, net weight 4.9kg, VESA mount (100X100mm)
VX3418-2KPC	34" ultra-wide 21:9, 1ms, 144Hz , SuperClear® VA (Cureved 1500R), 3440 x 1440(UWQHD), HDR10, 80million:1 (DCR), Adaptive Sync , 5Wx2 speaker, HDMI 2.0 X 2, DP X 2, audio out, height adjustable and tilt, Flicker-free & blue light Filter, net weight 7.6kg, VESA (100X100mm)
XG gaming	
XG2409A	23.8" wide, fast-IPS panel with HDR10, AMD free-sync 240Hz gaming monitor, 1920x1080 (Full HD), 50million:1 (DCR), 1ms, DP X1, HDMI 1.4 X 2, full ergonomic stand, Flicker-free and blue light Filter, VESA mount (100X100), net weight 4.8kg
XG2709A	27" wide, fast-IPS panel with HDR10, AMD free-sync 240Hz gaming monitor, 1920x1080 (Full HD), 50million:1 (DCR), 1ms, DP X1, HDMI 1.4 X 2, full ergonomic stand, Flicker-free and blue light Filter, VESA mount (100X100), net weight 5.6kg
VA2715-H	27" wide, LED Backlight, 75hz adaptive-Sync, SuperClear® VA, 1920x1080 (Full HD), 50million:1 (DCR), 5ms, 250 cd/m, VGA & HDMI, no Speakers but have 3.5mm audio out, 75X75mm VESA mount, eye care with Flicker-Free and Blue Light Filter, eco mode for low energy consumption, ** HDMI Cable included **
VG2439smh	23.6" wide, LED BackLight, 1920x1080 (Full HD), 178/178, 20million:1 (DCR), 6.5ms (GTG), VGA, HDMI & Displayport, USB Ports 2.0 x 2, Pivot, Height A/J & Swivel, Speakers
VP2785-4K	27" wide, UHD (3840x2160), IPS, 350cd/m, 99% Adobe RGB color space , 96% DCI-P3, Delta E < 2 color accuracy, HDR10 , 20million:1 (DCR), 7ms, USB 3.1 Type A(3), USB 3.1 Type B(1), USB 3.1 Type C(1), 3.5mm Audio Out(1), HDMI 2.0 (with HDCP 2.2)(2), Display Port(1), Mini Display Port(1), tilt/swivel/auto pivot*/height adjustment, VESA mount, built-in ambient light and presence sensor, and a KVM switch, Hardware calibration, net weight 6.4kg
VX2428	23.6" OMNI gaming monitor, fast IPS w HDR10, frameless, FHD, 0.5ms, 180hz , Freesync (VESA Adaptive sync), VESA ClearMR, 2Wx2 speaker, HDMI 1.4 X 2, DP X1, audio out, Flicker-free and blue light Filter, VESA mount (100X100)
VX2728	27" OMNI gaming monitor, fast IPS w HDR10, frameless, FHD, 0.5ms, 180hz , Freesync (VESA Adaptive sync), VESA ClearMR, 2Wx2 speaker, HDMI 1.4 X 2, DP X1, audio out, Flicker-free and blue light Filter, VESA mount (100X100)
VX2728-2K	27" OMNI gaming monitor, fast IPS Panel, 2K (2560 x 1440) Resolution, 0.5ms, 180hz , Freesync (VESA Adaptive sync), 2.5Wx2 speaker, HDMI 2.0 X 2, DP X1, audio out, Flicker-free and blue light Filter, VESA mount (100X100)
VX2428J	23.6" OMNI gaming monitor, fast IPS w HDR10, frameless, FHD, 0.5ms, 180hz , Freesync (VESA Adaptive sync), VESA ClearMR, 2Wx2 speaker, HDMI 1.4 X 2, DP X1, audio out, Ergonomically Designed for Gamers (swivel, pivot, tilt, and height adjustment), Flicker-free and blue light Filter, VESA mount (100X100)
VX2728J	27" OMNI gaming monitor, fast IPS w HDR10, frameless, FHD, 0.5ms, 180hz , Freesync (VESA Adaptive sync), VESA ClearMR, 2Wx2 speaker, HDMI 1.4 X 2, DP X1, audio out, Ergonomically Designed for Gamers (swivel, pivot, tilt, and height adjustment), Flicker-free and blue light Filter, VESA mount (100X100)
VX2728J-2K	27" OMNI gaming monitor, fast IPS Panel, 2K (2560 x 1440) Resolution, 0.5ms, 180hz , Freesync (VESA Adaptive sync), 2.5Wx2 speaker, HDMI 2.0 X 2, DP X1, audio out, Ergonomically Designed for Gamers (swivel, pivot, tilt, and height adjustment), Flicker-free and blue light Filter, VESA mount (100X100)
XG2431	23.8" wide, fast-IPS panel with VESA DisplayHDR 400 , Blur Busters 2.0 Certified, AMD free-sync 240Hz (G-sync ready) gaming monitor, 1920x1080 (Full HD), 80million:1 (DCR), 1ms, USB 3.2/DP/HDMI 2.0 X 2, 3wx2 Speakers, Flicker-free and blue light Filter, VESA mount (100X100), net weight 6.8kg
XG271QG	Elite 27",VESA DisplayHDR 400, Fast Action RGB 240Hz IPS , NVIDIA G-Sync Technology Gaming Monitor, true 1ms, (2560x1440) WQHD, 99% adobe RGB color coverage, 400cd/m, 120million:1 (DCR), USB 3.2 type A (3)/ USB 3.2 Type B (1), 3.5mm Audio nout (1) /DP X1/HDMI 2.0 X2, 3WX2 Speakers, Customizable Game Mode Settings, Ergonomically Designed for Gamers (swivel, pivot, tilt, and height adjustment), Enhanced Viewing Comfort through Flicker-free and blue light Filter, VESA mount (100X100), net weight 7.6kg
XG320Q	Elite 32" Fast Action RGB 175Hz. Quantum Dot IPS , NVIDIA G-Sync Technology Gaming Monitor, true 1ms, (2560x1440) WQHD, 99% adobe RGB color coverage, 400cd/m, VESA HDR 600, 120million:1 (DCR), USB 3.2 type A (3)/ USB 3.2 Type B (1), 3.5mm Audio nout (1) /DP X1/HDMI 2.0 X2, 5WX2 Speakers, Customizable Game Mode Settings, Ergonomically Designed for Gamers (swivel, tilt, and height adjustment), Enhanced Viewing Comfort through Flicker-free and blue light Filter, VESA mount (100X100), net weight 10.1kg

Accessories	
HDMI-VIEWSONIC	HDMI cable, 1.5m, ver 1.4 M/M
SGB311	Titan fixed wall mount Bracket, for screen 13"-27", up to 25kg, , VESA 75X75, 100X100
SGB291	Titan Swivel Single Arm Bracket, for screen 19"-40", up to 35kg, , max VESA up to 400x400
BL26	VESA mount 400x400mm, max weight 40kg Fit screen size: 26-43 inches
AVL-DS90	AV-LOGIC 17-32 inch TV/Monitor stand full motion Gas Strut single arm Desktop FlexiMount, VESA compliant 75×75, 100×100 mm, loading 6-9 KG per arm
AVL-DS90-2	AV-LOGIC 17-32 inch TV/Monitor stand full motion Gas Strut Dual arm Desktop FlexiMount, VESA compliant 75×75, 100×100 mm, loading 6-9 KG per arm
AVL-DW220-T	AV-LOGIC 17-32 inch Dual Monitor Mount - Table Top, VESA compliant 75×75, 100×100 mm, max loading 6KG per arm, Max. Arm extend 428mm, Free Standing, Swivel: -90°~+90°, Tilt:: -45°~+45°, Rotate: 360°
AVL-DW240-T	AV-LOGIC 17-32 inch Quad Monitor Mount - Table Top, VESA compliant 75×75, 100×100 mm, max loading 6KG per arm, Max. Arm extend 428mm, Free Standing, Swivel: -90°~+90°, Tilt:: -45°~+45°, Rotate: 360°
58528	GOObay Monitor Mount - single Pole (17-32) bk
58529	GOObay Monitor Mount - Dual Pole (17-32) bk
58530	GOObay Monitor Mount - single Gas (17-27) bk
58531	GOObay Monitor Mount - Dual Gas (17-32) bk
59394	GOObay Monitor Mount M Dual (17-32) bk